











False fer-lance	<i>Xenodon rabdocephalus</i>														
Coral snake	<i>Micrurus diastema</i>														
Coral snake	<i>Micrurus hippocrepis</i>														
Coral snake	<i>Micrurus nigrocinctus</i>														
Neotropical rattlesnake	<i>Crotalus durissus</i>														
Rainforest hognose pitviper	<i>Porthidium nasutum</i>														
Fer-de-Lance	<i>Bothrops asper</i>														
Jumping viper	<i>Atropoides nummifer</i>														
Eyelash viper	<i>Bothriechis schlegelii</i>														

## References:

### Cockscomb

**Kamstra (1987):** An Ecological Survey of the Cockscomb Basin

**Walker (1990):** In: The Cockscomb Basin Expedition Report (Rath)

**Reynolds (1995):** In: Maya Mountain Archaeological Project (Dunham)

**Emmons et. al (1996):** Cockscomb Basin Wildlife Sanctuary

**BBIS:** Belize Biodiversity Information System

**NB:** Walker's 1990 record for *Eleutherodactylus rostralis* ammended to *E. rhodopis*

Reynolds' record of *Anolis bourgeaei* is considered a race of *A. lemurinus* (Lee, 1996)

Kamstra's 1987 record of *Anolis limifrons* is accepted as *A. rodriguezii*

### Columbia River Forest Reserve

Two Columbia reports